



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Station

Organization: Cumberland Piedmont Network

Station ID: COWP_LBIC

Station Name: Long Branch of Island Creek

Period of Record: 11/18/2008 - 8/11/2009

Local Name	Standard ID	Std. Value	Units	Total Obs.	Exceed Std.	Prop. Exceed	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
							Obs.	Exceed	Prop.									
DO conc	SC FRESH	4	mg/l	4	0	0.00												
e. Coli	SC FRESH	576	MPN/100m 1	4	0	0.00												
pH	Low pH	6	None	4	1	0.25												
pH	SC FRESH	8.5	None	4	0	0.00												
Water Temp	SC FRESH	32.2	deg C	4	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Station

Organization: Cumberland Piedmont Network

Station ID: COWP_LBLB

Station Name: Little Buck Creek

Period of Record: 11/18/2008 - 8/11/2009

Local Name	Standard ID	Std. Value	Units	Total Obs.	Exceed Std.	Prop. Exceed	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
							Obs.	Exceed	Prop.									
DO conc	SC FRESH	4	mg/l	4	1	0.25												
e. Coli	SC FRESH	576	MPN/100m 1	4	0	0.00												
pH	Low pH	6	None	4	3	0.75												
pH	SC FRESH	8.5	None	4	0	0.00												
Water Temp	SC FRESH	32.2	deg C	4	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Station

Organization: Cumberland Piedmont Network

Station ID: COWP_SCND

Station Name: Suck Creek #2

Period of Record: 11/18/2008 - 8/11/2009

Local Name	Standard ID	Std. Value	Units	Total Obs.	Exceed Std.	Prop. Exceed	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
							Obs.	Exceed	Prop.									
DO conc	SC FRESH	4	mg/l	4	0	0.00												
e. Coli	SC FRESH	576	MPN/100m 1	4	2	0.50												
pH	Low pH	6	None	4	2	0.50												
pH	SC FRESH	8.5	None	4	0	0.00												
Water Temp	SC FRESH	32.2	deg C	4	0	0.00												



NPSTORET Water Quality Standards Analysis - Period of Record



Filtered Results, Grouped by Organization, Station

Organization: Cumberland Piedmont Network

Station ID: COWP_SCRD

Station Name: Suck Creek #3

Period of Record: 11/18/2008 - 8/11/2009

Local Name	Standard ID	Std. Value	Units	Total Obs.	Exceed Std.	Prop. Exceed	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
							Obs.	Exceed	Prop.									
DO conc	SC FRESH	4	mg/l	4	0	0.00												
e. Coli	SC FRESH	576	MPN/100m 1	4	0	0.00												
pH	Low pH	6	None	4	3	0.75												
pH	SC FRESH	8.5	None	4	0	0.00												
Water Temp	SC FRESH	32.2	deg C	4	0	0.00												

Results filtered for:

Organization = CUPN: Cumberland Piedmont Network

Project = COWP_WQ: CUPN WQ Monitoring, COWP

Station = Include All Station Visit Results

WQ Standards = Low pH (CUPN)

SC FRESH (CUPN)

Exclude Analytical Groups

Include Only Samples Not Checked as QC

Result Remark = (none)

Date (>=10/1/2008 and <=9/30/2009)

Stations had to be assigned to the WQ Standards in order for the results to be included in the analysis.

Censored Data Substitutions: *Non-detect=0.5* DetectionLimit, *Present >QL=1.1 * UpperQuantificationLimit, *Present <QL=0.5 * LowerQuantificationLimit