



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_CACR

**Station Name:** Cabin Creek

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	6	0	6	2	0.33												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_GBGB

**Station Name:** Garner Branch

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	6	1	5	0	0.00												
pH	Low pH	6	6	0	6	1	0.17												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_LBLB

**Station Name:** Long Branch

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	6	1	5	0	0.00												
pH	Low pH	6	6	0	6	0	0.00												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_RRKC

**Station Name:** Kings Creek

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	5	1	4	0	0.00												
pH	Low pH	6	6	0	6	0	0.00												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_SCSC

**Station Name:** Stonehouse Creek

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	6	1	5	0	0.00												
pH	Low pH	6	6	0	6	1	0.17												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												



# NPSTORET Water Quality Standards Analysis - Period of Record



*Filtered Results, Grouped by Organization, Project, Station*

**Organization:** Cumberland Piedmont Network

**Project ID:** KIMO\_WQ

**Station ID:** KIMO\_UPDB

**Station Name:** Upper Dellingham Branch

**Period of Record:** 11/26/2012 - 9/17/2013

Local Name	Standard ID	Std. Value	Total Obs.	Cens. Obs.	Incl. Obs.	Exc. Std.	Prop. Exc.	-----n/a-----			-----n/a-----			-----n/a-----			-----n/a-----		
								Obs.	Exc.	Prop.									
DO conc	SC FRESH	4 mg/l	6	0	6	0	0.00												
e. Coli	SC FRESH	576 MPN/100 ml	6	1	5	2	0.40												
pH	Low pH	6	6	0	6	1	0.17												
pH	SC FRESH	8.5	6	0	6	0	0.00												
Water Temp	SC FRESH	32.2 deg C	6	0	6	0	0.00												

### Reported Local Characteristics

Local Name	STORET Name	Medium	Subject Taxon	Bio Part
DO conc	Dissolved oxygen (DO)	Water		
e. Coli	Escherichia coli	Water		
pH	pH	Water		
Water Temp	Temperature, water	Water		

Results filtered for:

Organization = CUPN: Cumberland Piedmont Network

Project = KIMO\_WQ: CUPN WQ Monitoring, KIMO

Station = Include All Station Visit Results

Exclude Analytical Groups

Include Only Samples Not Checked as QC

Date (>=10/1/2012 and <=9/30/2013)

Stations had to be assigned to the WQ Standards in order for the results to be included in the analysis.

Censored Data Excluded